L Number	Hits	Search Text	DB	Time stamp
4	23	probe with (conductive adj layer) with (silver or copper)	USPAT; US-PGPUB; EPO; JPO;	2003/12/12 16:58
5	39184	core with steel	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/12 16:59
6	1083	(core with steel) and probe	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/12
7	1976	(core adj wire) with steel	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/12 16:59
8	98	((core adj wire) with steel) and ((core with steel) and probe)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/12 16:59
11	12	(((((core adj wire) with steel) and ((core with steel) and probe)) and (silver or copper)) and nickel) and gold	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/12 17:00
10	19	((((core adj wire) with steel) and ((core with steel) and probe)) and (silver or copper)) and nickel	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/12 17:02
9	63	(((core adj wire) with steel) and ((core with steel) and probe)) and (silver or copper)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/12 17:04
-	11996	conductive near3 coil	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 14:30
-	8	(conductive near3 coil) and 324/754.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/11 18:25
-	1038	(conductive near3 coil) and 324/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/11 18:26
-	33	(conductive near3 coil) and 324/750-765,158.1.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/11 18:27
-	4785	probe near5 coil	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/11 18:28
-	357	(probe near5 coil) with contact\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/11 18:29

Page 1

Search History 12/12/03 5:44:46 PM

			1	1 0000 (04 /24
-	7	"6043666"	USPAT;	2003/04/11 18:31
			US-PGPUB; EPO; JPO;	18:31
			DERWENT;	
			IBM TDB	
_	3755	kazama.in.	USPAT;	2003/04/11
			US-PGPUB;	18:31
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	34	kazama.in. and 324/750-765,158.1.ccls.	USPAT;	2003/04/11
			US-PGPUB;	18:35
			EPO; JPO; DERWENT;	
	}		IBM TDB	
_	34	kazama.in. and 324/750-765,158.1.ccls.	USPAT;	2003/04/11
] 37	Razama.in. and 3247730 7037130.1.0013.	US-PGPUB;	18:35
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	104	(probe near5 coil) and	USPAT;	2003/04/11
		324/750-765,158.1.ccls.	US-PGPUB;	18:40
			EPO; JPO;	
	1		DERWENT;	
		1	IBM_TDB	
-	76	kazama.in. and probe	USPAT;	2003/04/11
			US-PGPUB;	18:45
			EPO; JPO;	
			DERWENT; IBM TDB	
	3405	nnoho noara coil	USPAT;	2003/04/11
-	3405	probe near3 coil	US-PGPUB;	18:45
			EPO; JPO;	10.10
			DERWENT;	
			IBM TDB	
_	309	(probe near3 coil) with conduct\$4	USPAT;	2003/04/11
		,	US-PGPUB;	18:46
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000 (04 (17
-	450288	conductive near3 coil nea5 taper\$4	USPAT;	2003/04/11 18:56
			US-PGPUB;	18:26
	1		EPO; JPO; DERWENT;	
	1		IBM TDB	
_	450288	(conductive near3 coil) nean5 taper\$4	USPAT;	2003/04/11
1	130208	Considering Heart Colly Heart Capely4	US-PGPUB;	18:56
	1		EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
-	11	(conductive near3 coil) near5 taper\$4	USPAT;	2003/04/11
	1		US-PGPUB;	18:58
	1		EPO; JPO;	
	1		DERWENT;	
	1	(.)	IBM_TDB	2003/04/11
-	30	(conductive near3 coil) with taper\$4	USPAT; US-PGPUB;	19:00
	1		EPO; JPO;	15.00
	1		DERWENT;	
	1		IBM TDB	
_	62105	coil near5 wire	USPAT;	2003/04/11
	1		US-PGPUB;	19:00
			EPO; JPO;	
			DERWENT;	
1	1		IBM_TDB	
-	1498	(conductive near3 coil) with (coil near5	USPAT;	2003/04/11
l	1	wire)	US-PGPUB;	19:00
1	1		EPO; JPO;	
1		I and the second	DERWENT;	1
			IBM TDB	1

Search History 12/12/03 5:44:46 PM Page 2

-	98	((conductive near3 coil) with (coil near5	USPAT;	2003/04/11
		wire)) and probe	US-PGPUB;	19:04
			EPO; JPO;	1
			DERWENT;	
	34300	turn near3 coil	IBM_TDB	
-	34300	turn hears coll	USPAT;	2003/04/11
			US-PGPUB;	19:04
			EPO; JPO;	l i
			DERWENT; IBM TDB	f I
_	185	(turn near3 coil) with probe	USPAT;	2003/04/11
	1	(trade out / with prope	US-PGPUB;	19:05
			EPO; JPO;	19.03
			DERWENT;	
			IBM TDB	
-	922	coil near5 taper	USPAT;	2003/04/14
			US-PGPUB;	13:21
			EPO; JPO;	i l
			DERWENT;	
			IBM_TDB	
-	12840	324/750-765,158.1.ccls.	USPAT;	2003/04/14
			US-PGPUB;	13:45
			EPO; JPO;	
		•	DERWENT;	1
l _	25	324/750-765,158.1.ccls. and coil and	IBM_TDB USPAT;	2003/04/14
	1 23	taper	US-PGPUB;	13:23
	-	capez	EPO; JPO;	13.23
			DERWENT;	
			IBM TDB	
-	798	324/750-765,158.1.ccls. and coil	USPAT;	2003/04/14
		,	US-PGPUB;	13:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	284	(324/750-765,158.1.ccls. and coil) and	USPAT;	2003/04/14
	ļ	smaller	US-PGPUB;	13:24
			EPO; JPO;	
			DERWENT;	
1_	408	/224/750-765 150 1 ggls and soil) and	IBM_TDB	2002/04/14
-	400	(324/750-765,158.1.ccls. and coil) and turn\$4	USPAT;	2003/04/14
		CULIIVI	US-PGPUB; EPO; JPO;	13:37
	1 1		DERWENT;	
1			IBM TDB	
-	2512	324/750-765,158.1.ccls. and turn	USPAT;	2003/04/14
1		• • • • • • • • • • • • • • • • • • • •	US-PGPUB;	13:45
1			EPO; JPO;	
[DERWENT;	
			IBM_TDB	
-	1755	(324/750-765,158.1.ccls. and turn) and	USPAT;	2003/04/14
		contact	US-PGPUB;	13:45
			EPO; JPO;	
	ļ i		DERWENT;	
!_	12958	conductive mean? coil	IBM_TDB	2002/12/00
	12938	conductive near3 coil	USPAT; US-PGPUB;	2003/12/08
		•	EPO; JPO;	14:20
			DERWENT;	
			IBM TDB	
l – i	0	(conductive near3 coil) and tapper	USPAT;	2003/12/08
		, dans das , and capper	US-PGPUB;	14:30
			EPO; JPO;	
			DERWENT;	ĺ
			IBM TDB	
-	2	((conductive near3 coil) and (core adj	USPAT;	2003/12/08
		wire)) and 324/754-765,158.1.ccls.	US-PGPUB;	14:31
			EPO; JPO;	
l i			DERWENT;	
			IBM_TDB	

-	104	(conductive near3 coil) and (core adj	USPAT;	2003/12/08
	1	wire)	US-PGPUB;	14:35
1		*	EPO; JPO;	
			DERWENT;	
ì			IBM TDB	
-	44	(conductive adj2 layer) near5 (core adj	USPAT;	2003/12/08
		wire	US-PGPUB;	14:36
			EPO; JPO;	111.50
			DERWENT;	1
	1		IBM TDB	
1_	4	("5200695" "5225773" "5461326"	USPAT	2002/12/00
1	, a	[(3200695	USPAT	2003/12/08
i	4766			14:48
-	4/66	385/\$.ccls. and (probe or tip)	USPAT;	2003/12/08
			US-PGPUB;	14:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	94	(conduct\$4 near layer) and (385/\$.ccls.	USPAT;	2003/12/08
		and (probe or tip))	US-PGPUB;	15:30
			EPO; JPO;	
			DERWENT;	
]	1		IBM TDB	
-	2367	(conduct\$4 near layer) and 324/\$.ccls.	USPAT;	2003/12/08
1		• •	US-PGPUB;	15:40
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	585	((conduct\$4 near layer) and 324/\$.ccls.)	USPAT;	2003/12/08
		and (probe or tip) and test\$4 near5	US-PGPUB;	15:31
		(semiconductor or chip or integrated)	EPO; JPO;	10.31
		(a compared to onep or anotyzatow,	DERWENT;	
-	1		IBM TDB	
-	602	(conduct\$4 near layer) and	USPAT;	2003/12/08
	***	324/754-761.ccls.	US-PGPUB;	15:40
		324/734 701.0013.	EPO; JPO;	15:40
			DERWENT;	
			IBM TDB	
l _	488	((conduct\$4 near layer) and	USPAT;	2003/12/08
	100	324/754-761.ccls.) and (probe or tip)	US-PGPUB;	15:40
		324//34-761.ccis.) and (probe of cip)		15:40
	[EPO; JPO;	1
Į į	1		DERWENT;	1
i_	273	///gandyst64 many laws >	IBM TDB	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
-	4/3	(((conduct\$4 near layer) and	USPAT;	2003/12/08
		324/754-761.ccls.) and (probe or tip))	US-PGPUB;	16:42
		and (coil or spring)	EPO; JPO;	1
			DERWENT;	1
	_	/#4723577# #56577030# #505055577	IBM_TDB	1 / !
-	3	("4731577" "5557212" "5969533").PN.	USPAT	2003/12/08
[16:30
] -	3	("6452406").PN.	USPAT;	2003/12/08
[US-PGPUB;	16:51
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	57	(core adj wire) with (conductive adj	USPAT;	2003/12/08
		layer)	US-PGPUB;	16:52
	ļ l		EPO; JPO;	
/ I			DERWENT;	
			IBM TDB	
-	24	((core adj wire) with (conductive adj	USPAT;	2003/12/08
		layer)) and probe	US-PGPUB;	16:52
		_ ,,	EPO; JPO;	
			DERWENT;	
	l i		IBM TDB	1
	1			